

## Customer Product / Process Change Note (PCN): Change to CCS801 datasheet electrical characteristics

Change ref. No.:	01-2017			Products affected:	CCS801B	
				Datecode affected:	All	
Type of change						
☐ Material X Product ☐ Process ☐ Equipment ☐ Specifications ☐ Other						
Change Justification and Description						
Please be informed that ams is issuing a new revision of the datasheet for CCS801B product, with the following changes:						
1. <b>Electrical Characteristics</b> – The sensor resistance in Clean Air (Ra) range has changed from $200k\Omega$ - $1.4M\Omega$ to $10k\Omega$ - $1.6M\Omega$						
2. Sensor Performance – CCS801 performance in terms of resistance levels and sensitivities will change during early life use. The change in resistance is greatest over the first 48hrs of operation. ams advises customers to run CCS801 at $V_{\rm H}$ for 48 hours of operation to ensure sensor performance is stable						
The resistance and burn-in specification changes have been made to align with other products in the CCS8xx range.						
The resistance change may impact the function and performance of customer hardware, and therefore needs to be considered during product development.						
Supporting Data						
No change to CCS801B materials or process flow has occurred.  There is no change in terms of form, fit or reliability of the product and no qualification report is required for this change.  However, resistance specification alignment may require customer consideration of circuit hardware.						
Identification of changed product						
CCS801B						
Change Classification						
☐ Minor			X I	X Major		
Change Implementation	Date: 11	1 <sup>th</sup> January	201	16		
Customer Feedback						
Please acknowledge receipt of this change note by replying to <a href="mailto:sales-europe@ams.com">sales-europe@ams.com</a> , <a href="mailto:cs-europe@ams.com">cs-europe@ams.com</a> , or <a href="mailto:sales-asia@ams.com">sales-asia@ams.com</a>						
ams sensors UK is notifying you of this datasheet change. If you have any further questions, please contact <a href="mailto:sales-europe@ams.com">sales-europe@ams.com</a> , <a href="mailto:cs-americas@ams.com">cs-americas@ams.com</a> , or <a href="mailto:sales-europe@ams.com">sales-asia@ams.com</a> .						
Please forward any further queries regarding this change to <a href="mailto:sales-europe@ams.com">sales-asia@ams.com</a> , cs-americas@ams.com, or <a href="mailto:sales-asia@ams.com">sales-asia@ams.com</a> keeping your account manager in copy.						

Template Ref.: CC-001227-RN revision 2